

Aconine Datasheet

4th Edition (Revised in July, 2016)

[Product Information]

Name: Aconine

Catalog No.: CFN90248

CAS No.: 509-20-6

Purity: 98%

M.F: C₂₅H₄₁NO₉

M.W: 499.60

Physical Description: Powder

Synonyms: Jesaconine.

HO OH OH

[Intended Use]

- 1. Reference standards;
- 2. Pharmacological research;
- 3. Food and cosmetic research;
- 4. Synthetic precursor compounds;
- 5. Intermediates & Fine Chemicals;
- 6. Others.

[Source]

The branch root of Aconitum carmichaeli Debx.

[Biological Activity or Inhibitors]

Aconine can inhibit RANKL-induced osteoclast differentiation in RAW264.7 cells by

suppressing NF-kB and NFATc1 activation and DC-STAMP expression.[1]

Aconine has GW26-e4470 effect on the expression of Sirt-1 and eNOS system in

EAhy926 cell injured by Homocysteine.[2]

Aconine can attenuate hepatic fat degeneration of rats with fatty liver induced by high-fat

diet through decreasing TG,TC deposit in liver.[3]

[Solvent]

Pyridine, DMSO, Methanol.

[HPLC Method]^[4]

Mobile phase: Acetonitrile -5 mM Ammonium acetate H2O, gradient elution;

Flow rate: 1.0 ml/min;

Column temperature: 25 °C;

The wave length of determination: 235nm.

[Storage]

2-8°C, Protected from air and light, refrigerate or freeze.

[References]

[1] Zeng X Z, He L G, Wang S, et al. Acta Pharmacol. Sin., 2015, 37(2):255-63.

[2] Liu Y, Zheng Z, Zhou B, et al. J. Am. Coll. Cardiol., 2015, 66(16):C92-3.

[3] Shou Z X, Fan H. Journal of Shandong University of Traditional Chinese Medicine,

2008, 32(2):166-8.

[4] Liu M, Zhang H, Cai Y M, et al. Journal of Pharmaceutical Practice, 2013, 31(3):181-4.

[Contact]

Address:

Email: info@chemfaces.com

S5-3 Building, No. 111, Dongfeng Rd.,

Wuhan Economic and Technological Development Zone,

Wuhan, Hubei 430056,

China

Tel: +86-27-84237783

Fax: +86-27-84254680

Web: www.chemfaces.com

Tech Support: service@chemfaces.com