

Soyasaponin Bd Datasheet

4th Edition (Revised in July, 2016)

[Product Information]

Name: Soyasaponin Bd

Catalog No.: CFN90775

Cas No.: N/A

Purity: >=95%

M.F: C₄₈H₇₆O₁₉

M.W: 957.1

Physical Description: Powder

Synonyms:

HO, OH HO OH HO OH HO OH

[Intended Use]

- 1. Reference standards;
- 2. Pharmacological research;
- 3. Food research;
- 4. Synthetic precursor compounds;
- 5. Intermediates & Fine Chemicals;
- 6. Others.

[Source]

The seeds of Glycine max.

[Biological Activity or Inhibitors]

Soyasaponins has chemoprevention activities, it prevent H₂ O₂ -induced inhibition of gap

junctional intercellular communication by scavenging reactive oxygen species in rat liver

cells.[1]

Soyasaponins can significantly decrease blood glucose, improve atherosclerotic index,

and inhibit lipid peroxidation and platelet aggregation in diabetic rats, which may be useful

in prevention and control of diabetes mellitus and diabetes-associated atherosclerosis.[2]

Soyasaponins abundant in soybean have anti-inflammatory activities, low-dose SSs

alleviated contact hypersensitivity (CHS) symptoms by attenuating inflammation and

improving the intestinal microbiota composition, suggesting that dietary SSs may have

beneficial effects on allergic contact dermatitis (ACD). [3]

Dietary soyasaponin has inhibitory effects on 2,4-dinitrofluorobenzene-induced contact

hypersensitivity in mice.^[4]

[Solvent]

Pyridine, Methanol, Ethanol, etc.

[HPLC Method]^[5]

Mobile phase: Acetonitrile- H2O=40:60(containing 0.1% trifluo roacetic acid0.1% Trifluo

roacetic acid);

Flow rate: 1.0 ml/min;

Column temperature:40°C;

The wave length of determination: 205 nm.

[Storage]

2-8°C, Protected from air and light, refrigerate or freeze.

[References]

[1] Guo Z, Cao W, Zhao S, et al. Neuroreport, 2016, 27(10):730-6.

- [2] Yin X Z, Quan J S, Takemichi K. *Chinese Journal of Preventive Medicine, 2004,* 38(1):26-8.
- [3] Zha L Y, Mao L M, Lu X C, et al. Bioorg. Med. Chem. Lett., 2011, 21(8):2415-8.
- [4] Takao Nagano, Mitsuru Katase, Kazunobu Tsumura, et al. Exp. Dermatol., 2016, 9.
- [5] Quan J S, Yin X Z, Shigemitsu K. Food Science & Technology, 2007, 32(4):172-4

[Contact]

Address:

S5-3 Building, No. 111, Dongfeng Rd.,

Wuhan Economic and Technological Development Zone,

Wuhan, Hubei 430056,

China

Email: info@chemfaces.com

Tel: +86-27-84237783
Fax: +86-27-84254680

Web: www.chemfaces.com

Tech Support: service@chemfaces.com